


DIE NO	ISSUE MARK
-	-

- NOTE -
1. TOLERANCE: ±0.2, ANGLE ±3°
 2. CONPLANARITY: 0.1 MAX
 3. PART CODE



MG 6 4 5 3 3 5

PART NO.
RECEPTACLE ASS'Y


4. "6 hazardous substances in parts (Lead, Mercury, Cadmium, Hexavalent Chromium, PBBs, PBDEs) shall not exceed the maximum permissible concentration prescribed under EU ELV Directive & RoHS Regulation."
5. No Twist
6. Spec : ES91500-03
7. Solder : Reflow Solder Only (Surface mount)

PIN NO.	A	B	C
30	11.2	21.0	18.0
40	15.2	25.0	22.0
50	19.2	29.0	26.0
60	23.2	33.0	30.0
70	27.2	37.0	34.0
80	31.2	41.0	38.0
90	35.2	45.0	42.0
100	39.2	49.0	46.0
110	43.2	53.0	50.0
120	47.2	57.0	54.0



NO.	NAME	MATERIAL	FINISH	Q'TC
4	RECEP HOUSING COVER	Polyamide	UL94-V0, BLACK	1
3	METAL-FITTING	Copper Alloy	Ni1.27~3um+Sn2-5um MAX	2
2	RECEP TERMINAL	Copper Alloy	Ni1.27~3um+Au 0.1um MAX(Contact) & Au0.03um MIN(Lead)	50
1	RECEP HOUSING	Polyamide	UL94-V0, BLACK	1

MATERIAL	-	KET KOREA ELECTRIC (ENGINEERED) TERMINAL CO., LTD.						
FINISH	-							
WIRE RANGE	-							
INSULATION	-							
LTR	REVISION RECORD	DR	CHK	APP	DATE	TOLERANCE EXCEPT AS NOTED	SCALE	PART NO.
	DR. Kim.J.M 10.09.01		CHK. Um.Y.H 10.09.01		10.09.01	-	1/1	MG645335
CHK.		APP.	B.W.C 10.09.01					B TO B RECEP 50P H4.95 ASS'Y


DESIGN REVISION NO. 1



- NOTE -
1. NUMBER OF CONNECTOR: 700PCS/REEL
 2. LEAD TAPE LENGTH (mm)
 3. PEELING OFF FORCE OF TOP TAPE: 0.1N - 0.7N (10.2 - 71.4gf)
PEELING OFF SPEED: 300mm/Min



TOOL NO	ISSUE MARK
300033	-



NO.	NAME	MATERIAL	FINISH	PART NO.	Q'TC
4	REEL	PS	BLACK & BLUE	-	1
3	COVER TAPE	PET	-	-	-
2	CARRIER TAPE	PET 0.4t	-	-	-
1	RECEP H4.95 ASS'Y	-	-	MG645335	700

MATERIAL	-	KET KOREA ELECTRIC (ENGINEERED) TERMINAL CO., LTD.						
FINISH	-							
WIRE RANGE	-							
INSULATION	-							
LTR	REVISION RECORD	DR	CHK	APP	DATE	TOLERANCE EXCEPT AS NOTED	SCALE	PART NO.
	DR. Kim.J.M 10.09.01		CHK. Um.Y.H 10.09.01		10.09.01	-	1/1	P300033
CHK.		APP.	B.W.C 10.09.01					B TO B RECEP 50P H4.95 TAPING PRODUCT

DESIGN REVISION NO. 0